

HYDRATE

Manufactured by:

PZONE ELECTRONICS (P) LTD. BIS-ISI CERTIFIED (CM/L-8100180305) (An ISO 9001: 2015 Certified Company)

















W: www.pzononline.com, www.pzone.in SMS 'PZONE' to 53030 E:info@pzoneonline.com

For further Information **Toll free No.** 1800 123 168 168



















Director Desk

PZone Electronics Pvt. Ltd., the parent company of Eauguard & Euro Enterprises, was founded in 1997. Since then, with a mission to feel superior quality of Domestic & Commercial RO & its spare parts into the National & International market.

PZone EPL is an ISO 9001-2008, BSCIC NABCB, IMA, NSIC, MSME certified Company approved by Quality Council of India & also member of Water Quality Association. We are also approved by Govt. Of India under the act of Trade Mark Act, 1999 with the name of PZone & Classic Aquafresh.

The name "PZONE" has been synonymous with quality & accuracy since its inception in 2006. We are recognized as a world class exporter of RO Water Purifier with state of the art manufacturing, philosophies, continuous process & refined technical support for our esteemed global customers. Our superior production & testing facilities are decisive in enabling us to maintain a steady quality of our products. Our customers are always assured of the quality of our material, production techniques and best performance throughout the process of our manufacturing, starting from section of raw materials to machining to dispatching of finished goods.



























Accept or Change



YOU WANT TO BUY STYLISH MODERN PRODUCT & SAVE YOUR



REMEMBER

The true measure of a product's worth lies in its tangible attributes-quality, functionality and customer satisfaction.









Alkaline Water helps to keep your cells young & hydrated

TECHNICAL SPECIFICATIONS

Model	Steel Guard
	Ro+UV+Zn+Cu+Alkaline
Purification Rate	15-20 Ltr./Hr.
	(Depends on raw water TDS)
Storage Tank Capacity	07 Ltr. Approx.
Body Material	ABS Food grade plastic
Dimension	40W x 21D x 53H cm.
Input Power Supply	220V AC
Installation	Wall Mounted / Counter Top
Mrp (incl. Gst)	22500.00 INR























JIO

TECHNICAL SPECIFICATIONS

Model	Pzone Jio Ro+Cu+Zn+Alkaline 15-20 Ltr./Hr. (Depends on raw water TDS)	
Purification Rate		
Storage Tank Capacity	12 Ltr. Approx.	
Body Material	ABS Food grade plastic	
Dimension	38W x 17D x 51H cm.	
Input Power Supply	220V AC	
Installation	Wall Mounted / Counter Top	
Mrp (incl. Gst)	15500.00 INR	







Alkaline Water helps to keep your cells young & hydrated





















Alkaline Water helps to keep your cells young & hydrated

TECHNICAL SPECIFICATIONS

Model	Pzone Xcent Gold	
	Ro+UV+Cu+Zn+Alkaline	
Purification Rate	15-20 Ltr./Hr.	
	(Depends on raw water TDS)	
Storage Tank Capacity	12 Ltr. Approx.	
Body Material	ABS Food grade plastic	
Dimension	38W x 17D x 51H cm.	
Input Power Supply	220V AC	
Installation	Wall Mounted / Counter Top	
Mrp (incl. Gst)	18500.00 INR	



















NOVO-XL





00999

Model	Pzone Novo XL
	Ro+UV+Zn+Cu+Alkaline
Purification Rate	15-20 Ltr./Hr.
	(Depends on raw water TDS)
Storage Tank Capacity	12 Ltr. Approx.
Body Material	ABS Food grade plastic
Dimension	38W x 17D x 51H cm.
Input Power Supply	220V AC
Installation	Wall Mounted / Counter Top
Mrp (incl. Gst)	19500.00 INR





99999








































Pzone Advance Technology









TECHNICAL SPECIFICATIONS

Water Purifier + Ozoniser

Model	Pzone Organic Ro+UV+Zn+Cu+Alkaline	
Purification Rate	15-20 Ltr./Hr. (Depends on raw water TDS)	
Storage Tank Capacity	10 Ltr. Approx.	
Body Material	ABS Food grade plastic	
Dimension	39W x 22D x 53H cm.	
Input Power Supply	220V AC	
Installation	Wall Mounted / Counter Top	
Mrp (incl. Gst)	21500.00 INR	




















SPARKLE





TECHNICAL SPECIFICATIONS

ZINC Booster

Model	Pzone Sparkle
	Ro+UV+Zn+Cu+Alkaline
Purification Rate	15-20 Ltr./Hr.
	(Depends on raw water TDS)
Storage Tank Capacity	10 Ltr. Approx.
Body Material	ABS Food grade plastic
Dimension	40W x 21D x 52H cm.
Input Power Supply	220V AC
Installation	Wall Mounted / Counter Top
Mrp (incl. Gst)	19500.00 INR






















TECHNICAL SPECIFICATIONS

Model	Pzone Royal T1
	Ro+UV+Zn+Cu+Alkaline
Purification Rate	15-20 Ltr./Hr.
	(Depends on raw water TDS)
Storage Tank Capacity	10 Ltr. Approx.
Body Material	ABS Food grade plastic
Dimension	40W x 21D x 53H cm.
Input Power Supply	220V AC
Installation	Wall Mounted / Counter Top
Mrp (incl. Gst)	21500.00 INR







Alkaline Water helps to keep your cells young & hydrated

















Alkaline Water helps to keep your cells young & hydrated

TECHNICAL SPECIFICATIONS

Model	Pzone Royal+ Hot & Normal
	Ro+UV+Zn+Cu+Alkaline
Purification Rate	15-20 Ltr./Hr.
	(Depends on raw water TDS)
Storage Tank Capacity	10 Ltr. Approx.
Storage Tank Hot Water	01Ltr. SS-304 Tank
Body Material Dimension	ABS Food grade plastic
	40W x 21D x 53H cm.
Input Power Supply	220V AC
Installation	Wall Mounted / Counter Top
Mrp (incl. Gst)	22500.00 INR



















RO PLANTS

Commercial RO Plants



50 LPH RO Plant Covered

RO PLANT 250 LPH



RO PLANT 500 LPH



RO PLANT 1000 LPH

RO PLANTS



Domestic Plants



HOT & COLD RO Dispenser



25 LPH RO PLANT



50 LPH RO PLANT

Water Cooler with RO



Model	SS2020
Ro Capacity	25LPH
Cooling Capacity	20LPH
Storage Capacity	20Ltr.
Compressor	Kirloskar/Eq.

Note: Water Cooler in large capacity can also be customized only on demand.





SPARE PARTS







Always Pump 100 GPD (G Series)

Always Pump 100 GPD (P Series)

P Zone 100 GPD






Membrane

Housing







100 Gpd

Membrane





Eco Membrane





Pre-Filter

Bowl

Inline Carbon & Sediment





Mineral Cartage



4" UF

80 Gpd

Membrane

Alkaline







Alkaline





UV Barel



24 V. SMPS (2.5 AMP)





fro Mineral Pot







Copper Filter





Bio AAA + Alkaline Filter





GEYSER








5 STAR ENERGY SAVING

HIGH

ECO FRIENDLY







coated tank corrosion and rust-proof



Preset thermal cutout



Heating indicator light




Heavy copper heating element



Power Saver







2 mm Tank made of ultra super cold rolled steel plates

CHIMNEY





FEATURE


- Filterless Technology
- Powerful 220W Motor with 15 years Warranty
- Heat Auto Clean Technology
- 1200 m/h Max Air Flow
- 3 Speed Motion Control
- Oil Collector





MOTION SENSOR WITH **TOUCH CONTROLS**





Model: PZ-2

Powerful Motor: 500 Watts

Mixer Grinder



Model: PZ-1 Powerful Motor: 750 Watts

Mineral Pot





CONTAMINATION & LIKELY DISEASES CAUSED Lead (Mental Sickness) Mercury (Pain) Pyrogen (Fever) Virus (Viral Dispase) Arsenic (Poisoning)

ELECTROLYTICDISSOCIATION vis-a-vis TDS (15:3025 (part-16) (Indicative Water Quality)



Which glass is your's?

Multi Stage of PZONE Novo XL & Xcent Gold RO Water Purifier

FIRST STAGE- Sediment filter 6 micron made of polypropylene apon fiber removes suspended imporities in water like sand, dirt, dust, slit providing first, line

SECONO STAGE- Antisculent- An antisculant is a protreatment injection into the feed water before the feed water enters the RO membrane, presence delays the reaction between calcium, Magnesium and Bi-carbonatge. The result is scale not forming as the water is being purified by the RO As duration of the water in the membranes system is relatively short during the treatment, scale formation is prevented

THIRD STAGE- Sediment P.P. cartridge 1 micron. Removes fine dirt, dust much better.

FOURTH STAGE-Magnetic saftner- is the study of the effects of magnetic energy on fluids. Michael faraday discovered that water flowing past a conductive material will generate a week electrical charges. This discover, that was made over 120 years ago, is the flowing past hydrogen. These three atoms are bonded together by what is called a Covalence Band. That means that the oxyzen atom shares two of it's electron with the Hydrogen Atoms. This structure from what is

How the Technology Warks- As water passes through the "PZone's magnetic force field, the minerals crack under mega-rapid bombradment of the minerals in liquid, so that they fracture/abrade into hundread of minute micro-mineral particles, balancing the positive and negatively charges, Thus, "Raturally soft water" that has regained it's "life force/energy" improves the use of ordinary magnets. The magnets are mounted opposite one other organic

FIFTH STAGE- Granular carbon pre-filter removes Chlorine, Calour and other organic impurities.

SIXTH STAGE- RO membrane eliminates 90-95.6% of all Dissalved imprairies harmful substance in water, as well as completely eliminating algae, bacteria and

SEVENTH STAGE- In line post carbon fifter improves the taste of water + 5 Stage Alkaline.

Some Major Customers of our Company

Indian Medical Association (IMA)

Shri Rajnath Singh (Sr. BJP Leader & Home Minister Of India)

Crime Branch (Delhi)

Department of Delhi Police

Bhilai Steel Plant (Chattisgarh)

Bokaro Steel Plant (Jharkhand)

Municipal Corporation of Delhi (North)

STATE BNK OF INDIA

AIIMS

YES BANK AXIS BANK

ICICI BANK

HDFC BANK

INDIAN RAILWAY

Holy Child Public School (Delhi)

Delhi Metro Rail Corporation

Indian Public School

Income-Tax Department (Delhi)

Red Chilli Green Chilli Restaurant (Haldwani)

Department of Uttrakhand Police (Haldwani)

Larsen & Toubro

Indian Oil Corporation

Central Vigilance Commission.

DAV Public School (Orissa)

Department of Telecommunication (Odhisa)

Central Industrial Security Force

(Ministry of Home Affairs, Govt. of India)

Central School (Orissa)

Adarsh Engineer College (Orissa)

Nagar Nigam Bhilai (Water ATM Plant)

Some Major Suppliers of our Company

